L

	Application No.	Applicant(s)
	10/615,376	KUNTZ ET AL.
Notice of Allowability	Examiner	Art Unit
	Jennifer R. Sadula	1756
The MAILING DATE of this communication appears on the cover sheet with the correspondence address All claims being allowable, PROSECUTION ON THE MERITS IS (OR REMAINS) CLOSED in this application. If not included herewith (or previously mailed), a Notice of Allowance (PTOL-85) or other appropriate communication will be mailed in due course. THIS NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RIGHTS. This application is subject to withdrawal from issue at the initiative of the Office or upon petition by the applicant. See 37 CFR 1.313 and MPEP 1308.		
1. This communication is responsive to <u>1/27/05</u> .		
2. The allowed claim(s) is/are <u>1-13,15 and 17-27</u> .		
3. The drawings filed on <u>09 July 2003</u> are accepted by the Examiner.		
4. ☑ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f). a) ☑ All b) ☐ Some* c) ☐ None of the: 1. ☑ Certified copies of the priority documents have been received. 2. ☐ Certified copies of the priority documents have been received in Application No 3. ☐ Copies of the certified copies of the priority documents have been received in this national stage application from the International Bureau (PCT Rule 17.2(a)). * Certified copies not received: Applicant has THREE MONTHS FROM THE "MAILING DATE" of this communication to file a reply complying with the requirements noted below. Failure to timely comply will result in ABANDONMENT of this application. THIS THREE-MONTH PERIOD IS NOT EXTENDABLE. 5. ☐ A SUBSTITUTE OATH OR DECLARATION must be submitted. Note the attached EXAMINER'S AMENDMENT or NOTICE OF INFORMAL PATENT APPLICATION (PTO-152) which gives reason(s) why the oath or declaration is deficient. 6. ☐ CORRECTED DRAWINGS (as "replacement sheets") must be submitted. (a) ☐ including changes required by the Notice of Draftsperson's Patent Drawing Review (PTO-948) attached 1) ☐ hereto or 2) ☐ to Paper No./Mail Date (b) ☐ including changes required by the attached Examiner's Amendment / Comment or in the Office action of Paper No./Mail Date Identifying Indicia such as the application number (see 37 CFR 1.84(c)) should be written on the drawings in the front (not the back) of each sheet. Replacement sheet(s) should be labeled as such in the header according to 37 CFR 1.121(d). 7. ☐ DEPOSIT OF and/or INFORMATION about the deposit of BIOLOGICAL MATERIAL must be submitted. Note the attached Examiner's comment regarding REQUIREMENT FOR THE DEPOSIT OF BIOLOGICAL MATERIAL.		
Attachment(s) 1. Notice of References Cited (PTO-892) 2. Notice of Draftperson's Patent Drawing Review (PTO-948) 3. Information Disclosure Statements (PTO-1449 or PTO/SB/08 Paper No./Mail Date 4. Examiner's Comment Regarding Requirement for Deposit of Biological Material	6. ☐ Interview Summary Paper No./Mail Date B), 7. ☑ Examiner's Amendm	e

EXAMINER'S AMENDMENT

An examiner's amendment to the record appears below. Should the changes and/or additions be unacceptable to applicant, an amendment may be filed as provided by 37 CFR 1.312. To ensure consideration of such an amendment, it MUST be submitted no later than the payment of the issue fee.

Authorization for this examiner's amendment was given in a telephone interview with Brian Heany on 27 April 2005.

The application has been amended as follows: In the claims, claim 16 has been deleted.

REASONS FOR ALLOWANCE

The following is an examiner's statement of reasons for allowance:

Examiner notes that claims 1 and 11, which maintain the main limitations of these claims and are the only remaining independent claims of this case, are directed toward the generation of a 3-D effect comprising the provision of at least two image layers of chiral LC material wherein one of the layers reflects right-handed circularly polarized light and the other reflects left-handed circularly polarized light further comprising satisfaction of either A, B, or C.

Examiner notes that with regard to Faris '044, Applicants argue the reference does not teach A or C, however Faris '044 does not teach the first and second layers not being directly superimposed and not forming a stereo pair of images. Thus, Applicants' argument with regard to Faris '044 that, "The CLC layer (of Faris '044) is made from a layer of right-handed circularly polarizing material (RHCP) film material, and the second CLC layer is made from a

Application/Control Number: 10/615,376

Art Unit: 1756

layer of left-handed circularly polarizing material (LHCP) film material." (Arguments, page 12) is understood to be correct.

Furthermore, Examiner noted that while the other references teach superimposition of the layers (thereby requiring that applicants (A) be satisfied) are not polymerized at a temperature below 60oC while the material is in its' liquid crystalline state. Therefore, the combination of these elements is allowed.

Any comments considered necessary by applicant must be submitted no later than the payment of the issue fee and, to avoid processing delays, should preferably accompany the issue fee. Such submissions should be clearly labeled "Comments on Statement of Reasons for Allowance."

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Jennifer R. Sadula whose telephone number is 571.272.1391. The examiner can normally be reached on Monday through Friday, 10am-6pm.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Mark F. Huff can be reached on 571.272.1385. The fax phone number for the organization where this application or proceeding is assigned is 703-872-9306.

Application/Control Number: 10/615,376 Page 4

Art Unit: 1756

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

MARK F. HUFF SUPERVISORY PATENT EXAMINER TECHNOLOGY CENTER 1700

mas 2. The

JRS 27 April 2005